



# PRODUCT CATALOG



# ALKALINE ULTRA



AgfaPhoto Ultra alkaline batteries provide long-lasting and stable operation for our portable electrical devices that are in everyday use, for example flashlights, bathroom accessories, remote controls, wall clocks, children's toys or computer accessories. They can provide 50% more power than Power alkaline batteries, therefore they are ideal for products with high energy demand. Thanks to the low internal resistance there is less chance of leakage or cut-off. AgfaPhoto Ultra alkaline batteries are non-rechargeable, discharged batteries must be collected only in designated containers.

**AA**  
LR6 1.5V  
MN1500

**4**  
PACK

**AGFAPHOTO**  
ALKALINE ULTRA

**10** energy preserve  
years in storage

Best before:

**AGFAPHOTO**  
ALKALINE ULTRA

**AGFAPHOTO**  
ALKALINE ULTRA

**AGFAPHOTO**  
ALKALINE ULTRA

**AGFAPHOTO**  
ALKALINE ULTRA

**AGFAPHOTO**  
ALKALINE ULTRA

Suitable for consumer imaging products:

**50%** more power than standard alkaline  
in high drain devices

ALKALINE

**AA**  
LR6 1.5V  
MN1500

**Do not** recharge or dispose of in fire. Check for correct polarity (+/-). Do not mix used and new batteries, different types or brands. Remove batteries when discharged. 0% cadmium and mercury. **Nicht** wiederaufladen. Nicht ins Feuer werfen. Richtigen Polanschluss beachten (+/-). Neue und gebrauchte Batterien nicht zusammen benutzen. Verschiedene Arten oder Marken von Batterien nicht zusammen verwenden. Entladene Batterien entfernen. 0% Kadmium und Quecksilber. **Ne pas** tenter de recharger les piles. Ne pas les jeter au feu. Respecter le sens du branchement (+/-). Ne pas mélanger piles usagées et piles neuves, de types ou de marques différents. Retirer les piles lorsqu'elles sont déchargées. 0% cadmium et mercure. **Non** ricaricare, non gettare nel fuoco. Rispettare la polarità indicata (+/-). Non mescolare batterie usate con batterie nuove o di tipi o misure differenti. Rimuovere le batterie se scariche. 0% cadmio e mercurio. **No** recargar o arrojar al fuego. Compruebe la polaridad correcta (+/-). No mezcle pilas nuevas con usadas, o distintos tipos o marcas de pilas. Extraiga las pilas cuando estén descargadas. 0% de cadmio y mercurio. **Não** recarregar ou expor ao fogo. Observe a polaridade (+/-) correcta. Não misturar pilhas novas e usadas ou de tipos e marcas diferentes. Retirar as pilhas esgotadas. Sem cádmio e sem mercúrio. **Αποκολλήστε** αντίστοιχά ελαστικά. **ΜΕΤΑΛΛΑΝΟΣ ΠΕΤΡΟΣ**, 210-6218645, ΠΑΛΑΜΑ ΚΩΣΤΗ 12, ΑΓ. ΕΤΕΦΑΝΟΣ. Μην επαναφορτίζετε ή βάζετε στην φωτιά. Ελάγχετε για την σωστή πολικότητα (+/-) Μην αναμιγνύετε χρησιμοποιούμενες, αποφορτισμένες ή αναφορτισμένες μπαταρίες της ίδιας ή διαφορετικής ετικέτας. **Upravljati** ove elemente prema uputama proizvođača, a posebno polariteta (+/-). Ne koristiti istovremeno nove i upotrijebljene baterije. Ne koristiti baterije različitih proizvođača i tipova. **Ne** razdvajati, puniti niti odlagati u vatru. Ne mijesati stare i nove baterije, baterije različitih proizvođača i tipova. **Pravne** baterije uklonite iz proizvoda i odložite na za to predviđeno mjesto. 0% kadmija i žive. **Не** перезаряджате и не закривайте с огнем. Да се сортирава попаритетот. (+/-) Не користирайте стари и нови батерији едновремено, както и батерији от различни марки и сортове. Сменете батериите, когато се изтопят. 0% (Cd) и (Hg). Вносител СПРИНТ 2000 ЕООД, гр. Варна, ул. "Пенчо Славейков" 45, тел.: 052/611 769.

AgfaPhoto is used under license of Agfa-Gevaert NV & Co. AG or Agfa-Gevaert NV. Neither Agfa-Gevaert NV & Co. AG nor Agfa-Gevaert NV manufacture this product or provide any product warranty or support. For service, support and warranty information, contact the distributor or manufacturer. Produced for and distributed by GB7 GmbH, An Gut Nazareth 18 A, D-52353 Düren, Made in P.R.C. Contact: AgfaPhoto Holding GmbH, www.agfaphoto.com GB7 GmbH, www.german-battery.de

4 250175 821887



Size	Diameter	Height	Width	Depth
AA	14.5 mm	50.5 mm	-	-
AAA	10.5 mm	44.5 mm	-	-
C	26.2 mm	50 mm	-	-
D	34.2 mm	61.5 mm	-	-
9V	-	48.5 mm	26.5 mm	17.5 mm



## AA

## AAA

## C

## D

## 9V





APUAA

APUAAA

APUC

APUD

APU9V



1.5V

1.5V

1.5V

1.5V

9V

4

4

2

2

1

48

48

12

12

12

576

576

72

72

72

38cm3

28cm3

133cm3

173cm3

146cm3

26,8g

13g

83,3g

157,6g

58,4g

4 250175 821887 >

4 250175 821856 >

4 250175 851839 >

4 250175 851860 >

4 250175 851808 >





## ALKALINE POWER



Our portable electrical devices that are in everyday use require a reliable power supply for long operation. This stability is ensured by AgfaPhoto Power alkaline batteries that can be used in devices with various battery sockets, for example flashlights, bathroom accessories, remote controls, wall clocks, children's toys or computer accessories. Alkaline Power batteries provide long-lasting operation for our products with a voltage of 1.5V and thanks to the low internal resistance there is less chance of leakage or cut-off. AgfaPhoto Power batteries are non-rechargeable, discharged batteries must be collected only in designated containers.



Size	Diameter	Height	Width	Depth
AA	14.5 mm	50.5 mm	-	-
AAA	10.5 mm	44.5 mm	-	-
C	26.2 mm	50 mm	-	-
D	34.2 mm	61.5 mm	-	-
9V	-	48.5 mm	26.5 mm	17.5 mm
4,5V	-	67 mm	62 mm	22 mm



**AA**

APAAA




	1,5V
	4
	48
	576
	35cm3
	25,8g



**AAA**

APAAAA




	1,5V
	4
	48
	576
	28cm3
	13,3g



**C**

APAC




	1,5V
	2
	12
	72
	133cm3
	74g



**D**

APAD



	1,5V
	2
	12
	72
	208cm3
	146g





# POWER



**9V**

APA9V




	9V
	1
	12
	72
	146cm3
	53g



**4.5V**

APA4.5V




	4.5V
	1
	12
	72
	231cm3
	101g



**AA**

APAAA10




	1.5V
	10
	0
	200
	36cm3
	26,7g



**AAA**

APAAAAB10



	1.5V
	10
	0
	200
	15cm3
	13g






**AA**

APAAA12



**AAA**

APAAA12



**AA**







APAAA16















**AAA**







APAAAA16



	1,5V
	12
	168
	336
	36cm3
	23,9g

	1,5V
	12
	252
	504
	28cm3
	11,7g

	1,5V
	16
	256
	1024
	37cm3
	25,9g

	1,5V
	16
	256
	1024
	27cm3
	13,8g



# POWER



**AA**

APAAAS4



1,5V



4



40



1200



15cm<sup>3</sup>




23,8g



**AAA**

APAAAAS4



1,5V



4



40



1200



7,2cm<sup>3</sup>



11,5g





# HEAVY DUTY



AgfaPhoto Heavy Duty 1.5V batteries are recommended for devices that are in everyday use. The world's first developed chemical power source was carbon-zinc batteries and they are still widely used due to their stable operation and low price. They can be used in many devices, for example calculators, alarm clocks, wall clocks, toys or even low-power flashlights. Heavy duty batteries are also called dry cells because they contain ammonium chloride in a dry, powdered form for safer use. Heavy duty batteries are non-rechargeable, discharged batteries must be collected only in designated containers.



Size	Diameter	Height	Width	Depth
AA	14.5 mm	50.5 mm	-	-
AAA	10.5 mm	44.5 mm	-	-
C	26.2 mm	50 mm	-	-
D	34.2 mm	61.5 mm	-	-
9V	-	48.5 mm	26.5 mm	17.5 mm
4,5V	-	67 mm	62 mm	22 mm



**AA**

**AAA**

**C**

**D**

**9V**





APFAA

APFAAA

APFC

APFD

APF9V



1.5V

1.5V

1.5V

1.5V

9V

4

4

2

2

1

48

48

12

12

12

576

576

72

72

72

38cm3

23cm3

133cm3

176cm3

146cm3

16.8g

8g

46g

89g

45g



# HEAVY DUTY



**4.5V**

**AA**

**AAA**

**C**

**D**

**9V**

APF4.5VB1





APFAAS4

APFAAAS4

APFCS

APFDS

APF9VS



4,5V



1,5V



1,5V



1,5V



1,5V



9V



1



4



4



2



2



1



12



80



80



10



10



10



72



1200



1200



400



240



400



231cm3



14cm3



7cm3



45cm3



94cm3



30cm3



118g



14,8g



7,8g



41,5g



80,5g



36g



4 250175 823362 >

4 250175 808062 >

4 250175 808055 >

4 250175 808086 >

4 250175 808093 >

4 250175 808079 >



# ALARM CONTROLLER



AgfaPhoto alarm controller batteries can be used in remote controls, GPS trackers, burglar alarms and garage door controllers. They can also operate electronic cigarette lighters, dog collars, laser pointers as well as certain types of cameras or flashlights. They have an extended voltage range and provide a stable, long-lasting power supply. The A23 and A27 batteries operate at 12V, the 4LR44 batteries at 6V, and the LR1 batteries at 1.5V. Alarm controller batteries are non-rechargeable, discharged batteries must be collected only in designated containers.





Size	Diameter	Height
LR1	12 mm	30.2 mm
4LR44	13 mm	25.2 mm
A23	10 mm	28.5 mm
A27	8 mm	28.2 mm



# LR1

APLR1




	1,5V
	1
	0
	0
	114cm3
	15,4g



# 4LR44

APA4LR44



	6V
	1
	12
	72
	200cm3
	15g



# A23

APA23




	12V
	1
	0
	0
	7cm3
	9,2g



# A27

APA27



	12V
	1
	100
	1000
	10cm3
	6,6g

# ALARM CONTROLLER



**LR1**

APLR1B5





 1.5V

 5

 100

 1000

 31cm<sup>3</sup>

 116,2g



**A23**

APA23B5




 12V

 5

 100

 3000

 15cm<sup>3</sup>

 9,6g




**A27**

APA27B5




 12V

 5

 100

 3000

 13cm<sup>3</sup>

 6,2g






# LITHIUM PHOTO



AgfaPhoto Photo batteries offer long-lasting, reliable power supply for digital cameras. With a voltage range of 3V and a lithium internal composition, they offer seven times more energy than alkaline batteries. They are recommended for high performance lithium battery cameras. A distinction needs to be made between CR2 and CR123 photo batteries, although they may seem almost identical to each other, there is a difference in size and power between the two batteries, they are not counterparts of one another.



**EN** Do not recharge or dispose of in fire. Check for correct polarity (+/-). Do not mix used and new batteries, different types or brands. Remove batteries when discharged. 0 % cadmium and mercury. **DE** Nicht wiederaufladen. Nicht ins Feuer werfen. Richtigen Polanschluss beachten (+/-). Neue und gebrauchte Batterien nicht zusammen benutzen. Verschiedene Arten oder Marken von Batterien nicht zusammen verwenden. Entladene Batterien entfernen. 0 % Kadmium und Quecksilber. **FR** Ne pas tenter de recharger les piles. Ne pas les jeter au feu. Respecter le sens du branchement (+/-). Ne pas mélanger piles usagées et piles neuves, de types ou de marques différents. Retirer les piles lorsqu'elles sont déchargées. 0 % cadmium et mercure. **IT** Non ricaricare, non gettare nel fuoco. Rispettare la polarità indicata (+/-). Non mescolare batterie usate con batterie nuove o di tipi o misure differenti. Rimuovere le batterie se scariche. 0 % cadmio e mercurio. **ES** No recargar o arrojar al fuego. Compruebe la polaridad correcta (+/-). No mezcle pilas usadas o de distintos tipos o marcas de pilas. Extraiga las pilas cuando están descargadas. 0 % de cadmio y mercurio. **PT** Não recarregar ou expor ao fogo. Observar a polaridade (+/-) correcta. Não misturar pilhas novas e usadas ou de tipos e marcas diferentes. Retirar as pilhas esgotadas. Sem cádmio e sem mercúrio. **EL** Αποκλιμακώδη αναπαραστάσεις Ελλάδος: ΜΕΓΑΛΑΝΟΣ ΠΕΤΡΟΣ, 210-6218645, ΠΑΛΑΜΑ ΚΩΣΤΗ 17, ΑΓ-ΣΤΕΦΑΝΟΥ. Μην επαναφορτίζετε ή πελάτε στην φωτιά. Ελέγξτε για την ουσία πολικότητας (+/-). Μην συνδυάζετε χρησιμοποιούμενες, μητοπιές με καινούριες, αποσκρόπτοι τις μπαταρίες, όταν έχουν αποφορτιστεί. **UK** Ugyieljen az elemek megfellelo behelyezesére, a helyes polaritásra (+/-). Ne használjon egyidejűleg régi és új, eltérő típusú vagy márkájú elemeket! A lemerült elemeket távolítsa el a készülékből. Nem tölthető, tűzbe dobni tilos! 0% kadmium és higany. Forgalmazó: Armin Trade Kft., H-4024 Debrecen, Kossuth utca 22, II/A **PL** Uwaga: nie łączyć i nie demontować baterii. Nie mieszać baterii użytych i nowych. Nie ładuj i nie wyrzucać do ognia. Nie używać baterii, które są rozładowane. 0% kadmu i rtęci. **SK** Pozor: ne kombinujte staré a nové batérie. Ne miešajte staré a nové batérie rôznych typov a značiek. Ne dobíjajte a neodhadzujte do ohňa. Nepoužívajte spoločne staré a nové batérie. Nepoužívajte rozdielne typy a značky batérií spoločne. Neprehliťajte. Uchovávajte mimo dosah detí. Distribútor: Variol Trade s.r.o., Sedlácka 60, Rimavska Sobota, 979 01 **LT** Nekraukite ir neišmeskite į ugnį. Patikrinkite, ar poliškumas teisingas (+). Nedėkite kartu naudotų ir naujų baterijų, įvairių tipų ir markių. Išimkite elementus, kai jie yra iškrauti. Sudėtyje nėra kadmio 0% ir gyvsidabrio 0%. Distributorius: UAB ASBK Baterijas, Vilnius, Lietuva, tel.+370 52490862, www.davilai.lt **BA** Bateriji nie wieszumowanie iadawać. Nie wrzucać do ognia. Baterie zawsze należy stosować zgodnie z oznaczeniem (+/-). Po zużyciu należy wszystkie baterie wyjąć i oddzielić. Zużyte baterie należy natychmiast usunąć z urządzenia. Makro Market Sp. z o.o. Sp. J., ul. Grabiszyńska 273, 53-234 Wrocław, tel. +48 71 7926071, www.agfaphoto.pl **SI** Upozorenje: Proverjiti ispravnost polariteta (+/-). Ne rastavljeni, puniti niti odlagati u vatru. Ne miješati stare i nove baterije, baterije različiti proizvođača i tipova. Prazne baterije uklonite iz proizvoda i odložite na za to predviđeno mjesto. 0% kadmija i žive. **BG** Не презарядяйте и не хвърляйте в огън. Да се съблюдава поляритетът (+/-). Не използвайте стари и нови батерии едновременно, както и батерии от различни марки и видове. Сменете батериите, когато се изтопят. 0% (Cd) и (Hg). Вносителят СПРИНТ 2000 ЕООД, гр. Варна, ул. "Пенчо Славейков" 45, тел. 052/611 769.



Size	Diameter	Height
CR123A	17 mm	34.5 mm
CR2	15.6 mm	27 mm



## CR123A

## CR123A

## CR2


## CR2

APCR123A

APCR123AB2

APCR2

APCR2B2



	3V
	1
	12
	72
	169cm3
	22g


	3V
	1
	12
	72
	191cm3
	18g


4 250175 802633 >

4 250175 802602 >





# LITHIUM COIN



AgfaPhoto Lithium Coin Cells, as compared to alkaline coin cells, have a higher voltage range of 3V, and are fit to operate in extreme circumstances (- 20 / + 60 °C). They can be used as a power source for small electric devices. The „CR” mark of the coin cells indicates lithium manganese dioxide chemical composition. Due to their design, coin cells can operate small size household objects such as toys, watches, pocket calculators. They are recommended for operating products that are not in continuous use. Lithium coin-cell batteries are non-rechargeable, discharged batteries must be collected only in designated containers.





Size	Diameter	Height
CR 1220	12.5 mm	2 mm
CR 1616	16 mm	1.6 mm
CR 1620	16 mm	2 mm
CR 1632	16 mm	3.2 mm
CR 2016	20 mm	1.6 mm
CR 2025	20 mm	2.5 mm
CR 2032	20 mm	3.2 mm
CR 2430	24.5 mm	3 mm
CR 2450	24.5 mm	5 mm



## CR1220

APCR1220




 3V

 1

 12

 72


 17cm3

 2g



## CR1616

APCR1616



 3V

 1

 12

 72


 37cm3

 3.3g



## CR1620

APCR1620




 3V

 1

 12

 72


 11cm3

 2g



## CR1632

APCR1632



 3V

 1

 12

 72


 37cm3

 3.3g



## CR2016

APCR2016



 3V

 1

 12

 72

 11cm3

 3g



# LITHIUM COIN



**CR2025**

APCR2025




 3V

 1

 12

 72


 11cm3

 3g




**CR2032**

APCR2032




 3V

 1

 12

 72


 15cm3


 4,9g



**CR2430**


APCR2430



 3V

 1

 12

 72


 9cm3

 9g



**CR2450**


APCR2450



 3V

 1

 12

 72

 9cm3


 8g











## CR1220

APCR1220B5










	3V
	5
	100
	3000
	15cm3
	2g



## CR1616

APCR1616B5










	3V
	5
	100
	0
	37cm3
	3,3g



## CR1620

APCR1620B5









	3V
	5
	100
	3000
	15cm3
	2,6g



## CR2016

APCR2016B5



	3V
	5
	100
	3000
	12cm3
	3g



# LITHIUM COIN



## CR2025

APCR2025B5




	3V
	5
	100
	3000
	12cm3
	3,8g



## CR2032

APCR2032B5




	3V
	5
	100
	3000
	12cm3
	4g



## CR2430

APCR2430B5




	3V
	5
	100
	3000
	20cm3
	5,8g



## CR2450

APCR2450B5



	3V
	5
	100
	3000
	9cm3
	8g





# ALKALINE BUTTON



AgfaPhoto Alkaline Button Cells are designed to power small applications such as watches, kitchen scales, calculators, toys or lamps. They are suitable for both occasionally and constantly used electrical devices. Alkaline Button Cells are also dry cells and they operate at 1.5V voltage. Alkaline Button Cells are non-rechargeable, discharged batteries must be collected only in designated containers.



Size	Diameter	Height
AG0	5.75 mm	2.1 mm
AG1	6.8 mm	2.1 mm
AG2	7.9 mm	2.6 mm
AG3	7.9 mm	3.6 mm
AG4	6.8 mm	2.6 mm
AG5	7.9 mm	5.4 mm
AG6	9.5 mm	2.1 mm
AG7	9.5 mm	2.6 mm
AG8	11.6 mm	2.1 mm
AG9	9.5 mm	3.6 mm
AG10	11.6 mm	3.1 mm
AG11	7.9 mm	2.1 mm
AG12	11.6 mm	4.2 mm
AG13	11.6 mm	5.4 mm



## AG0

## AG1

## AG2

## AG3

## AG4




APAG0B10

APAG1B10

APAG2B10

APAG3B10

APAG4B10



 1.5V

 1.5V

 1.5V

 1.5V

 1.5V

 10


 10

 10

 10

 10


 200

 200

 200

 200

 200

 5000

 5000

 5000

 5000

 5000

 5cm3

 5cm3

 5cm3

 5cm3

 5cm3

 0,9g

 1g

 1,1g

 1,4g

 1g





# ALKALINE BUTTON



**AG5**

**AG6**

**AG7**

**AG8**

**AG9**




APAG5B10


APAG6B10

APAG7B10

APAG8B10

APAG9B10



 1.5V

 1.5V

 1.5V

 1.5V

 1.5V

 10

 10

 10

 10

 10

 200

 200

 200

 200

 200

 5000

 5000

 5000

 5000

 5000

 5cm3

 5cm3

 5cm3

 6cm3


 5cm3

 1.7g

 1.2g

 1.1g

 1.5g

 1.6g



4 250175 805566 >

4 250175 848914 >

4 250175 848938 >

4 250175 805573 >

4 250175 848952 >

# ALKALINE BUTTON



**AG10**

**AG11**

**AG12**

**AG13**

**AG13**




APAG10B10

APAG11B10

APAG12B10

APAG13B10

APAG13



 1.5V

 1.5V

 1.5V

 1.5V

 1.5V

 10

 10

 10

 10

 1.5V

 200

 200

 200

 200


 1.5V

 5000

 5000

 5000

 5000

 1.5V

 5cm3

 5cm3

 6cm3

 5cm3

 1.5V

 1.8g

 1.1g

 2.2g

 2.6g

 1.5V







# RECHARGEABLE INSTANT ENERGY



AgfaPhoto Instant Energy rechargeable batteries provide instant power to your devices after purchase and can be recharged up to 1000 times. Whether it's a flashlight, bathroom accessory, remote control, wall clock, children's toy, camera, or even computer accessory, with our rechargeable batteries you can power your devices in an extremely energy-efficient and environmentally friendly way. Rechargeable batteries provide stable, long-lasting operation for our products with a voltage of 1.2V. Their voltage range is lower than that of alkaline batteries, they are able to maintain this level in the long run, while for other batteries this value decreases over time. Our batteries can be charged with any similar battery charger.



Size	Diameter	Height
AA	14.5 mm	50.5 mm
AAA	10.5 mm	44.5 mm

Do not recharge or dispose of in fire. Check for correct polarity (+/-). Do not mix used and new batteries, different types or brands. Remove batteries when discharged. 0% cadmium and mercury. **NE** Nicht wiederaufladen. Nicht ins Feuer werfen. Richtigen Polarschluss beachten (+/-). Neue und gebrauchte Batterien nicht zusammen benutzen. Verschiedene Arten oder Marken von Batterien nicht zusammen verwenden. Entladene Batterien entfernen. 0% Kadmium und Quecksilber. **NE** Ne pas tenter de recharger les piles. Ne pas les jeter au feu. Respecter le sens du branchement (+/-). Ne pas mélanger piles usagées et piles neuves, de types ou de marques différentes. Retirer les piles lorsqu'elles sont déchargées. 0% cadmium et mercure. **NE** Non ricaricare, non gettare nel fuoco. Rispettare la polarità indicata (+/-). Non mescolare batterie usate con batterie nuove o di tipi o misure differenti. Rimuovere le batterie se scariche. 0% cadmio e mercurio. **NE** No recargar o arrojar al fuego. Compruebe la polaridad correcta (+/-). No mezcle pilas nuevas con usadas, o distintos tipos o marcas de pilas. Extraiga las pilas cuando estén descargadas. 0% de cadmio y mercurio. **NE** Não recarregar ou expor ao fogo. Observe a polaridade (+/-) correcta. Não misturar pilhas novas e usadas ou de tipos e marcas diferentes. Retirar as pilhas esgotadas. Sem cádmio e sem mercúrio. **NE** Ανακλιση των ποσιτών (κάδος: ΜΕΤΑΛΛΙΚΟΙ ΠΕΤΡΟΙ 210 0210645; ΠΑΛΑΜΑ ΚΩΣΤΗ 22 ΑΓ ΣΤΕΦΑΝΟΣ. Μεταλλικοί ποσιτοί ή πλαστικοί άσπυ ποσιτοί). Ελέγξτε για την σωστή πολικότητα (+/-) Μην αναμιγνύετε χρησιμοποιούμενες, χρησιμοποιημένες, απορριπτικές ή τριτογενείς, ή άλλων τύπων, όπως έχουν αποφορτιστεί. **NE** Ügyeljen az elemek megfelelő behelyezésére, a helyes polaritásra (+/-). Ne használjon egyidejűleg régi és új, eltérő típusú vagy márkájú elemeket! A lemerült elemeket távolítsa el a készülékből. Nem tölthető, tűzbe dobni tilos! 0% kadmium és higany. Forgalmazó: Armin Trade Kft., H-4024 Debrecen, Kossuth utca 22. III/4. **NE** Atencionar: nu lăsați la îndemâna copiilor. Dacă se înghite, consultați imediat medicul. Respectați polaritatea (+/-). Nu dezarzambați, nu încercați sărutorcuițați și nu aruncați în foc. A se păstra la loc uscat și răcoros. Nu folosiți baterii noi împreună cu cele uzate și nu utilizați în același timp diferite mărci sau diferite tipuri de baterii. Importator: Flasher Business Group SRL, Clujeni Ilfov, Tudor Vladimirescu 20A, office@flasher.ro. **NE** Nedobíjajte a nevyhazujte do ohně. Zkontrolujte správnou polaritu (+/-). Nemíchajte použité a nové baterie, různé typy a značky. Vybité baterie vyjměte. Distributor: Solight Holding s.r.o. **NE** Upozornenie: Baterie správne inštalujte (+/-). Nerozoberajte ich, nenabíjajte a neodhadzujte do ohňa. Nepoužívajte spoločne staré a nové batérie. Nepoužívajte rozdielne typy a značky batérií spoločne. Nepreťahajte. Uchovávajte mimo dosah detí. Distribútor: Vaniol Trade s.r.o., Spadolucká 60, Rimavská Sobota, 373 01. **NE** Nevracajte ih metalekate i ugnj. Patiknikite, ar polshunas, resinas i11. Nedobite kartu, neodatu ir rasu li batelia, jasnij tipu ir marka. Izbimite esmentus, kai lie yra i krauti. Sudetyje nera kadmio 0%, ir gyvsidabrio 0%. Distributorius: UAB ASBK Baterijas, Vilnius, Lietuva tel +370 52490862, www.battery.lt. **NE** Baterii nia wolno ponownie ladować. Nie wrzućac do ognia. Baterie zawsze nalazy stowac zgodnie z oznaczeniem (+/-). Po zuyciu nalezy wszystkie baterie wymianic jednoczesnie. Zuzyte baterie nalezy natychmiast usunac z urzadzenia. Makro Market Sp. z o.o. Sp. I, ul. Grabiszyńska 273, 53-234 Wrocław, tel. +48 71792671, www.agfaphoto.pl. **NE** Upozorenje: Proverjiti ispravnost polaritosa (+/-). Ne rastavljati, puniti niti collagati u vatru. Ne mijesati stare i nove baterije, baterije različitih proizvođača i tipova. Prazne baterije uklonite iz proizvoda i odložite na za to predviđeno mjesto. 0% kadmija i živa. **NE** Ne praznarićajte i ne hvatajte u oganj. Da se silybdrava polipriretati. (+/-) Ne izmieszajte stare i nowe baterije edrowremennie, kady i baterii ot razlicnyh marky i vidosa. Smetete baterijate, kogato se izostaci. 0% (Cd) i (Hg). Внесіте СПРІНТ 2000 E00L, гр. Варна, ул. "Пенко Славейков" 45, тел. 052/611 769.

AgfaPhoto is used under license of Agfa-Gevaert NV & Co. KG or Agfa-Gevaert NV. Neither Agfa-Gevaert NV & Co. KG nor Agfa-Gevaert NV manufacture this product or provide any product warranty or support. For service, support and warranty information, contact the distributor or manufacturer. Produced for and distributed by GBT GmbH, An Gut Nazareth 1B A, D-52353 Düren, Made in P.R.C. Contact: AgfaPhoto Holding GmbH, www.agfaphoto.com GBT GmbH, www.german-battery.de





**AA**

**AA**

**AAA**


**AAA**

APR2U2100

APR2U2100B4

APR2U950

APR2U950B4



 1,2V



 1,2V



 2



 2



 12



 12




 72




 72



 101cm<sup>3</sup>



 110cm<sup>3</sup>



 34,5g



 18g










## RECHARGEABLE VALUE ENERGY




For an energy-efficient, environmentally friendly solution, choose AgfaPhoto rechargeable batteries. Our rechargeable batteries, which can be recharged up to 1000 times, provide power for all of our portable electrical appliances with the same battery socket, let it be a flashlight, bathroom accessory, remote control, a wall clock, a children's toy, camera or even computer accessory. Rechargeable batteries provide stable, long-lasting operation for our products with a voltage of 1.2V. Their voltage range is lower than that of alkaline batteries, they are able to maintain this level in the long run, while for other batteries this value decreases over time. Our batteries can be charged with any similar battery charger.





Size	Diameter	Height
AA	14.5 mm	50.5 mm
AAA	10.5 mm	44.5 mm



**AA**

**AA**

**AAA**



**AAA**

AP2300B2

AP2300B4

AP900B2

AP900B4



	1,2V
	2
	12
	72
	43,6cm3
	31g

	1,2V
	4
	24
	144
	42,3cm3
	30g

	1,2V
	2
	12
	72
	35,8cm3
	15,6g

	1,2V
	4
	24
	144
	17,9cm3
	14,3g

4 250175 802800 >

4 250175 802718 >

4 250175 802824 >

4 250175 802756 >





# PROFESSIONAL



AgfaPhoto Professional batteries – that are available in large packaging and have increased performance - are recommended for industrial use. They are the perfect choice for companies and factories, where battery-powered devices are in everyday use. They provide long-lasting, stable power supply with a voltage of 1.5V. They can be used in any product with the same battery socket that has high energy demand. AgfaPhoto Professional batteries are non-rechargeable, discharged batteries must be collected only in designated containers.



Size	Diameter	Height
AA	14.5 mm	50.5 mm
AAA	10.5 mm	44.5 mm




**AA**

APPAAP40




**AA**

APPAAP10




**AAA**

APPAAAP40



**AAA**

APPAAAP10



	1,5V
	40
	40
	1200
	35cm3
	24,8g

	1,5V
	10
	10
	1200
	35cm3
	24,8g

	1,5V
	40
	40
	1200
	26cm3
	12g

	1,5V
	10
	10
	1200
	26cm3
	12g

