


# FUJITSU BATTERIES



# THE ENERGY COMPETENCE



## The world's largest manufacturer of Ni-MH Batteries

FDK is the only Japanese manufacturer that both designs and operates fully automatic production lines for batteries. Regarding FDK's alkaline batteries, in particular, which feature the world's top level of performance, not only the batteries but also the facilities that manufacture them have been acknowledged for their high quality around the world.

The Company offers alkaline batteries, lithium batteries and nickel-metal hydride batteries which can be used with repeated charging.

Established in 1950, FDK started from the manufacture and sales of manganese dry batteries. Since then, the Company has various developments with battery materials and then entered the ferrite business taking advantage of its expertise with battery materials.

FDK is focused on the research and development of battery materials. These batteries are used in many areas of life from industrial applications to consumer usage. The Company also engages in the development and manufacturing of lithium ion capacitors and power storage systems, where the battery and electronic circuit technologies are combined

Now, FDK products are used by customers in various fields such as lightning equipment, computer, smartphones, communication equipment and automotive applications.

# CONTENTS

The Range		3
Rechargeable Batteries	About our Rechargeable Batteries	4
	Ready to Use Rechargeable Batteries	5
	Rechargeable Batteries	6
Alkaline Batteries	About our Alkaline Batteries	7
	Alkaline Batteries Universal Power Series	8-10
	Alkaline Batteries High Power Series	11
	Alkaline Batteries Premium Series	11
Zinc Carbon Batteries	General Purpose Series	12
	Heavy Duty Series	13-14
Others	Lithium Battery (Cyrindrical) /	15
	Lithium Coin Cell	15
	Alkaline Special	15
Contact		16


We do not guarantee any data with respect to its content, completeness or up-to-date-ness, nor does the data have any legal effect.

# FUJITSU THE RANGE

RECHARGEABLES		ALKALINE			ZINC CARBON	OTHERS
Pre Charged Ni-MH	High Capacity Ni-MH	Alkaline Universal Power	Alkaline High Power	Alkaline Premium	General Purpose / Heavy Duty	Lithium Battery / Lithium Coin Cell / Alkaline Special
						
The comfortable ready to use rechargeable for up to 2100 rechargings	The eco friendly Powerpack	Power for Everyday Life	Great for High Drain Devices	Best performance for All Devices	The Economic battery for standard application / Maximum reliability for professional application	Batteries for specific requirements



# RECHARGEABLE BATTERIES



Rechargeable    Dry cell

**2100**

Non-ready to use rechargeables  
0% after 2 years

Fujitsu rechargeables  
70% after 5 years



## The merger of benefits

Fujitsu ready-to-use Rechargeables combine the eco-friendly aspects of rechargeables with the benefits of dry cell batteries:

- Rechargeable
- Reuseable
- Recyclable
- +
- Ready to use
- Storable
- Low self discharge

## 2100 x rechargeable

With every Fujitsu Rechargeable you save at minimum 2,100 batteries.

Less battery waste.  
Less pollution.

## Low self-discharge

After 5 years storage Fujitsu Rechargeables still have up to 70% of their charge. Standard rechargeables lose their entire charge within 2 years.

Always ready for action.

## Eco precharged

Fujitsu Rechargeables are precharged with clean solar energy.

Eco-friendly from the beginning.

# FUJITSU RECHARGEABLE BATTERIES

## Ready to Use Rechargeable Batteries



**HR-3UTCX(4B)**  
Pcs/Pack: 4  
Barcode: 4976680816155  
QTY/CTN: 40 pks  
G/W: 5.3 kgs  
Measurement (L x W x H / mm):  
322 x 351 x 143



**HR-3UTCX(2B)**  
Pcs/Pack: 2  
Barcode: 4976680816148  
QTY/CTN: 40 pks  
G/W: 3.1 kgs  
Measurement (L x W x H / mm):  
322 x 351 x 143



**HR-4UTCX(4B)**  
Pcs/Pack: 4  
Barcode: 4976680816179  
QTY/CTN: 40 pks  
G/W: 3.1 kgs  
Measurement (L x W x H / mm):  
248 x 283 x 143



**HR-4UTCX(2B)**  
Pcs/Pack: 2  
Barcode: 4976680816162  
QTY/CTN: 40 pks  
G/W: 1.8 kgs  
Measurement (L x W x H / mm):  
248 x 283 x 143



**FCT343-CE** with 4 HR-3UTC  
Pcs/Pack: 1  
Barcode: 4976680571627  
QTY/CTN: 60 pks  
G/W: 18.7 kgs  
Measurement (L x W x H / mm):  
428 x 560 x 395



**HR-3UTHCX(4B)**  
Pcs/Pack: 4  
Barcode: 4976680816117  
QTY/CTN: 40 pks  
G/W: 5.8 kgs  
Measurement (L x W x H / mm):  
322 x 351 x 143



**HR-3UTHCX(2B)**  
Pcs/Pack: 2  
Barcode: 4976680571665  
QTY/CTN: 40 pks  
G/W: 3.4 kgs  
Measurement (L x W x H / mm):  
322 x 351 x 143



**HR-4UTHCX(4B)**  
Pcs/Pack: 4  
Barcode: 4976680816131  
QTY/CTN: 40 pks  
G/W: 2.9 kgs  
Measurement (L x W x H / mm):  
248 x 283 x 143



**HR-4UTHCX(2B)**  
Pcs/Pack: 2  
Barcode: 4976680816124  
QTY/CTN: 40 pks  
G/W: 1.9 kgs  
Measurement (L x W x H / mm):  
248 x 283 x 143



**FCT344-CE** with 4 HR-3UTC  
Pcs/Pack: 1  
Barcode: 4976680591373  
QTY/CTN: 10 pks  
G/W: 3.2 kgs  
Measurement (L x W x H / mm):  
224 x 575 x 165

# RECHARGEABLE BATTERIES



## HR-3UAEX(4B)

Pcs/Pack: 4  
Barcode: 4976680816254  
QTY/CTN: 40 pks  
G/W: 5.8 kgs  
Measurement (L x W x H / mm):  
324 x 178 x 140

## HR-3UAEX(2B)

Pcs/Pack: 2  
Barcode: 4976680816247  
QTY/CTN: 40 pks  
G/W: 3.2 kgs  
Measurement (L x W x H / mm):  
324 x 178 x 140



## HR-4UAEX(4B)

Pcs/Pack: 4  
Barcode: 4976680816278  
QTY/CTN: 40 pks  
G/W: 2.9 kgs  
Measurement (L x W x H / mm):  
282 x 164 x 151

## HR-4UAEX(2B)

Pcs/Pack: 2  
Barcode: 4976680816261  
QTY/CTN: 40 pks  
G/W: 1.8 kgs  
Measurement (L x W x H / mm):  
282 x 164 x 151



# ALKALINE BATTERIES

# BEST

## PERFORMANCE & RELIABILITY

Universal Power



High Power



Premium



Engineered in Japan


CUTTING-EDGE TECHNOLOGY ENSURES FUJITSU BATTERIES DO NOT LEAK.  
\*Under normal Usage.

## NO LEAKAGE



## LEAKAGE !

CONVENTIONAL





# FUJITSU ALKALINE BATTERIES

Alkaline Batteries Universal Power Series / Blister



## LR6(4B)FU

Pcs/Pack: 4  
Barcode: 4976680863005  
QTY/CTN: 160 pks  
G/W: 17.0 kgs  
Measurement (L x W x H / mm):  
288 x 338 x 194



## LR6(2B)FU

Pcs/Pack: 2  
Barcode: 4976680862404  
QTY/CTN: 160 pks  
G/W: 9.0 kgs  
Measurement (L x W x H / mm):  
258 x 332 x 194



## LR03(4B)FU

Pcs/Pack: 4  
Barcode: 4976680865504  
QTY/CTN: 160 pks  
G/W: 8.9 kgs  
Measurement (L x W x H / mm):  
265 x 362 x 148



## LR03(2B)FU

Pcs/Pack: 2  
Barcode: 4976680863500  
QTY/CTN: 160 pks  
G/W: 5.2 kgs  
Measurement (L x W x H / mm):  
258 x 362 x 146



## LR6(6B)FU

Pcs/Pack: 6  
Barcode: 4976680949808  
QTY/CTN: 24 pks  
G/W: 4.0 kgs  
Measurement (L x W x H / mm):  
192 x 212 x 163



## LR6(8B)FU

Pcs/Pack: 8  
Barcode: 4976680949907  
QTY/CTN: 40 pks  
G/W: 8.8 kgs  
Measurement (L x W x H / mm):  
186 x 312 x 205



## LR6(20B)FU

Pcs/Pack: 20  
Barcode: 4976680950002  
QTY/CTN: 24 pks  
G/W: 12.9 kgs  
Measurement (L x W x H / mm):  
254 x 320 x 205



## LR14(2B)FU

Pcs/Pack: 2  
Barcode: 4976680862008  
QTY/CTN: 40 pks  
G/W: 6.3 kgs  
Measurement (L x W x H / mm):  
207 x 315 x 172



## LR20(2B)FU

Pcs/Pack: 2  
Barcode: 4976680853907  
QTY/CTN: 40 pks  
G/W: 12.2 kgs  
Measurement (L x W x H / mm):  
213 x 361 x 223



## 6LF22(1B)FU

Pcs/Pack: 1  
Barcode: 4976678086660  
QTY/CTN: 60 pks  
G/W: 3.8 kgs  
Measurement (L x W x H / mm):  
295 x 273 x 122



## LR1(1B)FU

Pcs/Pack: 1  
Barcode: 4976680865603  
QTY/CTN: 200 pks  
G/W: 3.7 kgs  
Measurement (L x W x H / mm):  
193 x 366 x 254



## LR03(6B)FU

Pcs/Pack: 6  
Barcode: 4976680975807  
QTY/CTN: 24 pks  
G/W: 2.2 kgs  
Measurement (L x W x H / mm):  
154 x 188 x 141



## LR03(8B)FU

Pcs/Pack: 8  
Barcode: 4976680983901  
QTY/CTN: 40 pks  
G/W: 4.2 kgs  
Measurement (L x W x H / mm):  
186 x 276 x 156



## LR03(20B)FU

Pcs/Pack: 20  
Barcode: 4976680996802  
QTY/CTN: 24 pks  
G/W: 7.0 kgs  
Measurement (L x W x H / mm):  
216 x 297 x 197

# FUJITSU ALKALINE BATTERIES

## Alkaline Batteries Universal Power Series / Shrink



### LR6(2S)FU

Pcs/Pack: 2  
Barcode: 4976680875909  
QTY/CTN: 400 pks  
G/W: 19.5 kgs  
Measurement (L x W x H / mm):  
297 x 324 x 185



### LR6(4S)FU

Pcs/Pack: 4  
Barcode: 4976680876005  
QTY/CTN: 200 pks  
G/W: 19.5 kgs  
Measurement (L x W x H / mm):  
297 x 324 x 185



### LR6(8S)FU

Pcs/Pack: 8  
Barcode: 4976680876906  
QTY/CTN: 64 pks  
G/W: 12.6 kgs  
Measurement (L x W x H / mm):  
234 x 244 x 148



### LR14(2S)FU

Pcs/Pack: 2  
Barcode: 4976680868604  
QTY/CTN: 50 pks  
G/W: 6.6 kgs  
Measurement (L x W x H / mm):  
146 x 287 x 135



### LR20(2S)FU

Pcs/Pack: 2  
Barcode: 4976680867805  
QTY/CTN: 50 pks  
G/W: 13.5 kgs  
Measurement (L x W x H / mm):  
163 x 365 x 183



### LR03(2S)FU

Pcs/Pack: 2  
Barcode: 4976680897000  
QTY/CTN: 600 pks  
G/W: 14.9 kgs  
Measurement (L x W x H / mm):  
254 x 269 x 193



### LR03(4S)FU

Pcs/Pack: 4  
Barcode: 4976680899400  
QTY/CTN: 300 pks  
G/W: 14.9 kgs  
Measurement (L x W x H / mm):  
254 x 269 x 193



### LR03(8S)FU

Pcs/Pack: 8  
Barcode: 4976680920906  
QTY/CTN: 64 pks  
G/W: 6.2 kgs  
Measurement (L x W x H / mm):  
188 x 210 x 117



### 6LF22(1S)FU

Pcs/Pack: 1  
Barcode: 4976680398507  
QTY/CTN: 400 pks  
G/W: 20.4 kgs  
Measurement (L x W x H / mm):  
276 x 263 x 157

# FUJITSU ALKALINE BATTERIES

## Alkaline Batteries High Power Series



### LR6(4B)FH

Pcs/Pack: 4  
Barcode: 4976680844509  
QTY/CTN: 160 pks  
G/W: 17.2 kgs  
Measurement (L x W x H / mm):  
288 x 338 x 194



### LR6(2B)FH

Pcs/Pack: 2  
Barcode: 4976680843007  
QTY/CTN: 160 pks  
G/W: 9.0 kgs  
Measurement (L x W x H / mm):  
258 x 332 x 194



### LR03(4B)FH

Pcs/Pack: 4  
Barcode: 4976680850500  
QTY/CTN: 160 pks  
G/W: 8.9 kgs  
Measurement (L x W x H / mm):  
265 x 362 x 148



### LR03(2B)FH

Pcs/Pack: 2  
Barcode: 4976680850005  
QTY/CTN: 160 pks  
G/W: 5.2 kgs  
Measurement (L x W x H / mm):  
258 x 362 x 146



### LR14(2B)FH

Pcs/Pack: 2  
Barcode: 4976680842802  
QTY/CTN: 40 pks  
G/W: 6.3 kgs  
Measurement (L x W x H / mm):  
207 x 315 x 172



### LR20(2B)FH

Pcs/Pack: 2  
Barcode: 4976680842109  
QTY/CTN: 40 pks  
G/W: 12.2 kgs  
Measurement (L x W x H / mm):  
213 x 361 x 223

## Alkaline Batteries Premium Series



### LR6(4B)FP

Pcs/Pack: 4  
Barcode: 4976680839703  
QTY/CTN: 160 pks  
G/W: 17.2 kgs  
Measurement (L x W x H / mm):  
288 x 338 x 194



### LR6(2B)FP

Pcs/Pack: 2  
Barcode: 4976680822804  
QTY/CTN: 160 pks  
G/W: 9.0 kgs  
Measurement (L x W x H / mm):  
258 x 332 x 194



### LR03(4B)FP

Pcs/Pack: 4  
Barcode: 4976680840600  
QTY/CTN: 160 pks  
G/W: 8.9 kgs  
Measurement (L x W x H / mm):  
265 x 362 x 148



### LR03(2B)FP

Pcs/Pack: 2  
Barcode: 4976680840501  
QTY/CTN: 160 pks  
G/W: 5.2 kgs  
Measurement (L x W x H / mm):  
258 x 362 x 146



# FUJITSU ZINC CARBON BATTERIES

## General Purpose Series / Blister



### R6(4B)

Pcs/Pack: 4  
Barcode: 4976680302108  
QTY/CTN: 160 pks  
G/W: 14.0 kgs  
Measurement (L x W x H / mm):  
356 x 295 x 191



### R03(4B)

Pcs/Pack: 4  
Barcode: 4976680303105  
QTY/CTN: 160 pks  
G/W: 8.9 kgs  
Measurement (L x W x H / mm):  
356 x 257 x 159



### R14(2B)

Pcs/Pack: 2  
Barcode: 4976680301101  
QTY/CTN: 40 pks  
G/W: 4.7 kgs  
Measurement (L x W x H / mm):  
283 x 187 x 159



### R20(2B)

Pcs/Pack: 2  
Barcode: 4976680300104  
QTY/CTN: 40 pks  
G/W: 8.8 kgs  
Measurement (L x W x H / mm):  
327 x 187 x 191



### 6F22(1B)

Pcs/Pack: 1  
Barcode: 4976680304102  
QTY/CTN: 60 pks  
G/W: 3.2 kgs  
Measurement (L x W x H / mm):  
270 x 257 x 111

## General Purpose Series / Shrink



### R6(4S)

Pcs/Pack: 4  
Barcode: 4976680308100  
QTY/CTN: 144 pks  
G/W: 10.8 kgs  
Measurement (L x W x H / mm):  
362 x 184 x 121



### R03(4S)

Pcs/Pack: 4  
Barcode: 4976680309107  
QTY/CTN: 180 pks  
G/W: 7.8 kgs  
Measurement (L x W x H / mm):  
257 x 117 x 149



### R14(2S)

Pcs/Pack: 2  
Barcode: 4976680307103  
QTY/CTN: 144 pks  
G/W: 15.0 kgs  
Measurement (L x W x H / mm):  
327 x 225 x 168



### R20(2S)

Pcs/Pack: 2  
Barcode: 4976680306106  
QTY/CTN: 72 pks  
G/W: 15.5 kgs  
Measurement (L x W x H / mm):  
286 x 216 x 203



### 6F22(1S)

Pcs/Pack: 1  
Barcode: 4976680313104  
QTY/CTN: 400 pks  
G/W: 15.5 kgs  
Measurement (L x W x H / mm):  
270 x 270 x 165

# ZINC CARBON BATTERIES

## Heavy Duty Series



### HD R6(4B)

Pcs/Pack: 4  
Barcode: 4976680852306  
QTY/CTN: 200 pks  
G/W: 17.0 kgs  
Measurement (L x W x H / mm):  
475 x 285 x 220



### HD R03(4B)

Pcs/Pack: 4  
Barcode: 4976680852405  
QTY/CTN: 200 pks  
G/W: 9.9 kgs  
Measurement (L x W x H / mm):  
348 x 254 x 190



### HD R03(2B)

Pcs/Pack: 2  
Barcode: 4976680852405  
QTY/CTN: 200 pks  
G/W: 5.9 kgs  
Measurement (L x W x H / mm):  
348 x 254 x 190



### HD R14(2B)

Pcs/Pack: 2  
Barcode: 4976680852207  
QTY/CTN: 240 pks  
G/W: 27.0 kgs  
Measurement (L x W x H / mm):  
435 x 414 x 318



### HD R20(2B)

Pcs/Pack: 2  
Barcode: 4976680852108  
QTY/CTN: 120 pks  
G/W: 27.0 kgs  
Measurement (L x W x H / mm):  
525 x 418 x 216



### 6F22N(1B)

Pcs/Pack: 1  
Barcode: 4976680852603  
QTY/CTN: 200 pks  
G/W: 8.0 kgs  
Measurement (L x W x H / mm):  
472 x 292 x 223



# ZINC CARBON BATTERIES

## Heavy Duty Series / Shrink



### HD R6(4S)

Pcs/Pack: 4  
Barcode: 4976680851309  
QTY/CTN: 300 pks  
G/W: 22.5 kgs  
Measurement (L x W x H / mm):  
275 x 158 x 182

### HD R03(2S)

Pcs/Pack: 2  
Barcode: 4976680851408  
QTY/CTN: 600 pks  
G/W: 12.0 kgs  
Measurement (L x W x H / mm):  
280 x 177 x 153



### HD R14(2S)

Pcs/Pack: 2  
Barcode: 4976680851200  
QTY/CTN: 240 pks  
G/W: 24.0 kgs  
Measurement (L x W x H / mm):  
320 x 266 x 237

### HD R20(2S)

Pcs/Pack: 2  
Barcode: 4976680851101  
QTY/CTN: 120 pks  
G/W: 25.0 kgs  
Measurement (L x W x H / mm):  
330 x 294 x 216

### 6F22N(1S)

Pcs/Pack: 1  
Barcode: 4976680851606  
QTY/CTN: 600 pks  
G/W: 24.5 kgs  
Measurement (L x W x H / mm):  
324 x 290 x 210

# FUJITSU OTHERS

## Lithium Battery (Cyrindrical)



### CR123A(1B)

Pcs/Pack: 1  
Barcode: 4976680545109  
QTY/CTN: 200 pks  
G/W: 4.7 kgs  
Measurement (L x W x H / mm):  
483 x 261 x 205



### CR2(1B)

Pcs/Pack: 1  
Barcode: 4976680545406  
QTY/CTN: 200 pks  
G/W: 3.8 kgs  
Measurement (L x W x H / mm):  
456 x 260 x 210



### CR2016(1B)

Pcs/Pack: 1  
Barcode: 4976680200565  
QTY/CTN: 100 pks  
G/W: 0.8 kgs  
Measurement (L x W x H / mm):  
221 x 195 x 112



### CR2025(1B)

Pcs/Pack: 1  
Barcode: 4976680200664  
QTY/CTN: 100 pks  
G/W: 0.9 kgs  
Measurement (L x W x H / mm):  
221 x 195 x 112



### CR2032(1B)


Pcs/Pack: 1  
Barcode: 4976680200763  
QTY/CTN: 100 pks  
G/W: 1.0 kgs  
Measurement (L x W x H / mm):  
221 x 195 x 112



### CR2430(1B)


Pcs/Pack: 1  
Barcode: 4976680200862  
QTY/CTN: 100 pks  
G/W: 1.1 kgs  
Measurement (L x W x H / mm):  
221 x 195 x 112

## Alkaline Special



### LR44(1B)

Pcs/Pack: 1  
Barcode: 4976680960506  
QTY/CTN: 400 pks  
G/W: 3.1 kgs  
Measurement (L x W x H / mm):  
317 x 244 x 241




### 12V 23A(1B)

Pcs/Pack: 1  
Barcode: 4976680581909  
QTY/CTN: 1,000 pks  
G/W: 12.8 kgs  
Measurement (L x W x H / mm):  
530 x 265 x 275





Your Fujitsu Dealer



FDK Electronics GmbH

Einsteinring 24  
85609 Aschheim / Germany  
Deutschland

Telefon +49 (0)89 3306680-0

